



Fire Protection Products Technical Data Book Table of Contents June 2018

SECTION 1 - STANDARD SPRAY SPRINKLERS	DATE	SHEET
Series TY-L Pendent, Recessed Pendent, and Upright, SR, K=5.6 and 8.0	11-15	TFP110
Series TY-L Horizontal Sidewall, SR, K=5.6	02-15	TFP120
Series TY-FRL Pendent Recessed Pendent, and Upright, QR, K=2.8, 5.6 and 8.0	04-17	TFP130
Series TY-FRL Horizontal Sidewall, QR, K=5.6	12-16	TFP140
Series TY-B Pendent, Recessed Pendent, and Upright, SR, K=2.8, 5.6 and 8.0	11-14	TFP151
Series TY-B Pendent, Recessed Pendent, and Upright, SR, Standard Coverage, K=5.6	07-17	TFP152
Series TY-B Sidewall, Horizontal, and Vertical, SR, K=5.6	04-15	TFP161
Series TY-FRB Pendent, Recessed Pendent, and Upright, QR, K=2.8, 4.2, 5.6 and 8.0	11-15	TFP171
Series TY-FRB Pendent, Recessed Pendent, and Upright, QR, Standard Coverage, K=5.6	02-18	TFP172
Series TY-FRB Sidewall, Horizontal, and Vertical, QR, K=5.6	12-16	TFP176
Series RFII Concealed QR and SR, Standard Coverage, Pendent, K=5.6	04-16	TFP181
ILLUSION Concealed QR, Standard Coverage, Pendent, K=11.2	05-18	TFP184
Model TY-QRF Flush QR, Standard Coverage, Pendent, K=5.6	09-16	TFP190
Model TY-QRF-EU Flush QR, Standard Coverage, Pendent, K=80	09-16	TFP191
SECTION 2 - EXTENDED COVERAGE SPRINKLERS	DATE	SHEET
Model EC-25 Extended Coverage Area/Density, Upright, SR, K=25.2	05-18	TFP213
Series EC-11 and EC-14 Pendent, Recessed Pendent, and Upright, QR and SR, K=11.2 and 14.0	12-17	TFP220
Series EC-8 Pendent and Recessed Pendent, QR and SR, K=8.0	12-14	TFP223
Series EC-5 Pendent and Recessed Pendent, QR and SR, K=5.6	07-16	TFP228
Model SW-20 and SW-24 ECOH Horizontal Sidewall, SR, K=11.2	03-14	TFP230
Model ELOC Concealed Extended Coverage, Pendent, QR and SR, K=11.2	05-17	TFP250
Series RFII Concealed Extended Coverage, Pendent, QR, K=5.6	05-17	TFP260
Model CHEC Concealed Extended Coverage, Horizontal Sidewall, QR, K=8.0	07-17	TFP265
Series RFIII Concealed Extended Coverage, Horizontal Sidewall, QR, K=8.0	10-17	TFP270
Series TY-FRL QR-EC Horizontal Sidewall, K=5.6 and 8.0	02-17	TFP280
Model EC-HS Extended Coverage Horizontal Sidewall, K=115	03-14	TFP288
Series TY-FRB QR-EC Horizontal Sidewall and Recessed HSW, K=5.6 and 8.0	05-18	TFP296
Series EC-5 QR-EC Horizontal Sidewall and Recessed HSW, K=5.6	07-15	TFP298

TABLE OF CONTENTS

Page 2 of 8

SECTION 3 - STORAGE SPRINKLERS	DATE	SHEET
Model ESFR-25 Early Suppression, Fast Response, Pendant, K=25.2	05-18	TFP312
Model ESFR-17 Early Suppression, Fast Response, Pendant, K=16.8.	05-18	TFP315
Model ESFR-17 Early Suppression, Fast Response, Upright, K=16.8	05-18	TFP316
Model ESFR-17 Early Suppression, Fast Response, Pendant, K=16.8.	05-18	TFP317
Model ESFR-14 Early Suppression, Fast Response, Pendant, K=14.0.	05-18	TFP319
Model ESFR-17 Early Suppression, Fast Response, Dry, Pendant, K=16.8	05-18	TFP320
Model ESFR-22 Early Suppression, Fast Response, Pendant, K=22.4	05-18	TFP321
Ultra K17 Specific Application Control Mode, Upright, SR, K=16.8, 155°F and 200°F.	05-18	TFP330
Model K17-231 Storage, Pendant and Upright, Standard Coverage, SR, K=16.8	05-18	TFP332
Model LD Large Drop, Upright, K=11.2	05-18	TFP335
Series ELO-231 Pendant and Upright, Standard Coverage, SR, K=11.2	05-18	TFP340
Series ELO-231B Pendant and Upright, Standard Coverage, SR, K=11.2	05-18	TFP342
Series ELO-231FRB Pendant and Upright, Standard Coverage, QR, K=11.2.	05-18	TFP344
Series TY-L Intermediate Level, Pendant and Upright, SR, K=5.6 and 8.0	01-17	TFP350
Series TY-B Intermediate Level, Pendant and Upright, SR, K=5.6 and 8.0	06-14	TFP351
Series TY-B Intermediate Level, Pendant and Upright, Standard Coverage, SR, K=5.6	05-17	TFP352
Series TY-FRL Intermediate Level, Pendant and Upright, QR, K=5.6 and 8.0	12-16	TFP355
Series TY-FRB Intermediate Level, Pendant and Upright, QR, K=5.6 and 8.0.	12-16	TFP356
Series TY-FRB Intermediate Level, Pendant and Upright, Standard Coverage, QR, K=5.6.	03-13	TFP357
 SECTION 4 - RESIDENTIAL SPRINKLERS	 DATE	 SHEET
Series LFII Residential Pendant and Recessed Pendant, K=4.9	01-16	TFP400
Series LFII Residential Pendant and Recessed Pendant, K=5.8	05-15	TFP401
Series LFII Residential Pendant, K=3.0.	06-17	TFP402
Series LFII Residential Pendant, Recessed Pendant, and Concealed Pendant, K=6.9.	09-16	TFP408
Series LFII Residential Horizontal Sidewall and Recessed Horizontal Sidewall, K=4.2	02-17	TFP410
Series LFII Residential Horizontal Sidewall and Recessed Horizontal Sidewall, K=4.4	01-16	TFP412
Series LFII Residential Horizontal Sidewall and Recessed Horizontal Sidewall, K=5.6	01-16	TFP415
Series LFII Residential Horizontal Sidewall and Recessed Horizontal Sidewall, K=5.8	02-16	TFP417
Series LFII Residential Flush Pendant, K=4.2	02-14	TFP420
Series LFII Residential Flush Horizontal Sidewall, K=4.2	05-17	TFP425
Series LFII Residential Flat Plate Concealed Pendant, K=4.9	05-18	TFP442
Series LFII Residential Domed Plate Concealed Pendant, K=4.9.	05-14	TFP450
Series LFII Dry-Type Residential, Recessed Pendant, K=4.9.	12-15	TFP460
Series LFII Dry-Type Residential, Horizontal Sidewall, and Recessed Horizontal Sidewall, K=4.4	03-16	TFP461
Model RCP-1 Residential Control Panel	05-17	TFP480
Residential Dry Pipe System.	07-15	TFP485
Series LFII Residential Sprinkler Design Guide.	12-15	TFP490
 SECTION 5 - DRY SPRINKLERS	 DATE	 SHEET

Series DS-1 Dry SR, Standard Coverage, Pendent, Upright, and HSW, K=5.6	01-15	TFP500
Series DS-1 Dry QR, Standard Coverage, Pendent, Upright, and HSW, K=5.6	06-15	TFP510
Series DS-C Dry QR and SR, Standard Coverage, Concealed Pendent, K=5.6	05-17	TFP515
Series DS-ECC Dry QR, Extended Coverage, Concealed Pendent, K=5.6	05-17	TFP518
Series DS-1 Dry QR and SR, Extended Coverage, HSW, K=5.6	09-14	TFP520
Series DS-2 Dry QR and SR, Standard Coverage, Pendent, K=11.2	10-14	TFP530
Series DS-2 Dry QR and SR, Extended Coverage, Pendent, K=11.2	09-14	TFP540
Series DS-3 Dry SR, Extended Coverage Ordinary Hazard, HSW, K=11.2	06-15	TFP550
Series DS-1 Dry QR and SR, Pendent, HSW and EC HSW, K=5.6 — Stainless Steel	10-17	TFP560
Model DSB-2 Dry Sprinkler Boot for Use with TFP Dry Type Sprinklers	02-17	TFP591

SECTION 6 - SPECIAL SPRINKLERS

	DATE	SHEET
Models BB, SD, HIP, and AP “Specific Application Sprinklers for Protecting Attics”	06-17	TFP610
Model WS Window Sprinklers, Horizontal and Pendent Vertical Sidewall, K=5.6	10-16	TFP620
Model CC1 Combustible Concealed Space Sprinklers, K=2.8.	07-15	TFP630
Model CC2 Combustible Concealed Space Sprinklers, K=4.2 and 5.6	08-16	TFP632
Model CC3 Combustible Concealed Space Sprinklers, K=4.2 and 5.6	12-16	TFP633
Model TY-FRFS, TY-FS Special and TY-FS, Flat Spray Sprinklers, K=57, 80 and 115.	10-15	TFP635
Model FSC, Flush Sprinkler Concrete, K=80	05-17	TFP645
Model TFP PH2 Institutional Pendent, Standard Coverage, SR, K=5.6	02-17	TFP650
RAVEN Institutional Pendent and HSW, Standard and Extended Coverage, QR, K=5.6	02-15	TFP651
Model TFP PH5 Institutional HSW, Standard Coverage, SR, K=5.6	02-17	TFP654
RAVEN Studio Pendent and HSW, Standard and Extended Coverage, QR, K=5.6	03-15	TFP658
Series TY-B Conventional (Old Style), SR, K= 5.6 and 8.0	02-14	TFP661
Series TY-B Conventional (Old Style), SR, Standard Coverage, K=5.6	08-16	TFP662
Series TY-B Conventional, Special Response, K= 80 and 115	02-15	TFP663
Series TY-FRB Conventional (Old Style), QR, K=5.6 and 8.0	01-17	TFP666
Series TY-FRB Conventional (Old Style), QR, Standard Coverage, K=5.6	02-15	TFP667
Series TY-B and TY-FRB Pendent and Upright, SR and QR, 10 mm orifice, ISO 7-1 R 3/8.	04-15	TFP670
Series TY-B Pendent and Upright, Special Response, K=57, 80 and 115	02-15	TFP672
Series TY-B and TY-FRB — Stainless Steel, SMO, and Titanium	01-18	TFP680
Series TY-B and TY-FRB — Poly-Stainless Pendent, Upright and HSW Sprinklers	01-18	TFP682
Issue D QUARTZOID High Temperature, Pendent and Upright, SR, K=5.6 and 8.0.	10-16	TFP690

SECTION 7 - SPRINKLER WARNINGS, PATTERNS, AND ACCESSORIES

	DATE	SHEET
Installer Warnings	07-12	TFP700
Sprinkler Spray Patterns	10-14	TFP710
FASTFLEX Model YN25, YB25, and YB28 Flexible Sprinkler Hoses	06-17	TFP720
Model FH-1 Flexible Sprinkler Hoses	08-16	TFP725
FASTFLEX Model FB Flexible Braided Hose.	02-16	TFP730
Recessed Sprinkler Escutcheon Plates, Pendent and Sidewall	01-18	TFP770
Style 65 One-Piece Flush and Style 401 Two-Piece Deep Sprinkler Escutcheons	09-17	TFP777
Style 60 Two-Piece Flush Sprinkler Escutcheons.	01-18	TFP778
Model G1 and G4 Guards, G1/S1 and G4/S3 Guards with Shield (K=5.6 and 8.0 Sprinklers).	05-17	TFP780
Model GUMC/GUWSU Sprinkler Guards (TY-B/TY-FRB, EMEA Sprinklers Only)	02-17	TFP781
Model EG-25 Sprinkler Guard.	12-17	TFP784
Sprinkler Cabinets (3, 6, or 12 Capacity).	02-17	TFP785

TABLE OF CONTENTS

SECTION 8 - NOZZLES AND NOZZLE ACCESSORIES	DATE	SHEET
Type EA-1 Automatic PROTECTOSPRAY Nozzles	05-18	TFP800
Type D3 PROTECTOSPRAY Nozzles	04-16	TFP802
Type D3 PROTECTOSPRAY Nozzles, Appendix	12-16	TFP802A
Type D3S PROTECTOSPRAY Nozzles, Eastern Hemisphere	04-14	TFP804
Type D4a PROTECTOSPRAY Nozzles	05-17	TFP806
Type MV Directional Spray Nozzles, Open Medium Velocity	01-18	TFP807
Type DN-5 Corrosion Resistant Duct Nozzle, Open Medium Velocity	04-16	TFP808
Type MV-R Reverse Action and Type MV-T Tank Top, Open Medium Velocity	02-16	TFP809
Model F822 to F834, MULSIFYRE Nozzles	10-15	TFP810
Model F822S to F834S Mulsifyre Nozzles with Strainers	11-16	TFP811
Type HV-14 to HV-60, High Velocity Nozzles	11-16	TFP815
Navy Type G, Nozzles	04-15	TFP820
Navy Type SB, Flush Deck Nozzles	02-17	TFP825
Type 1 and 2, Cooling Tower Nozzles	02-17	TFP830
Issue A and B, Exposure Window Sprinklers	05-14	TFP835
Model B-1 Foam-Water Sprinklers	12-16	TFP840
Model TN-25 Horizontal Spray Nozzle, Open K=25.2	04-17	TFP850
Model TN-17 Horizontal Spray Nozzle, Open K=16.8	04-17	TFP852
DDS Duct Deluge System For The Protection of Ventilation Ductwork Handling Corrosive Gases.	04-16	TFP870
Blow-off Plugs for Open Sprinklers and PROTECTOSPRAY Nozzles	02-15	TFP890
SECTION 9 - WET SYSTEM VALVES AND ACCESSORIES	DATE	SHEET
Model AV-1-300 Alarm Check Valves, 300 psi — 2-1/2, 4, 6, and 8 Inch	12-16	TFP910
Model RC-1 Retard Chambers	02-17	TFP920
Model WMA-1 Water Motor Alarms	07-17	TFP921
Model WMA-1 Water Motor Alarms (European Conformity)	07-17	TFP922
Pressure Relief Connections	01-04	TFP930
Model CV-1FR Riser Check Valves — 2 to 12 Inch	07-14	TFP950
Model RM-1 Commercial and Residential Riser Manifold	02-17	TFP963
Model RSV-1 Residential Domestic Shutoff Valves — 1 and 2 Inch	07-16	TFP980
Model AV-1-300 Alarm Check Valves, 300 psi — 4, 6, and 8 Inch (European Conformity)	12-16	TFP990
SECTION 10 - DRY SYSTEM VALVES	DATE	SHEET
Model DPV-1 Dry Pipe Valves — 2-1/2, 3, 4, and 6 Inch	05-18	TFP1020
Model DPV-1 Dry Pipe Valves — 4 and 6 Inch (European Conformity)	12-16	TFP1090
SECTION 11 - QUICK OPENING DEVICES	DATE	SHEET
Model QRS Electronic Dry Pipe Valve Accelerators	12-14	TFP1100
VIZOR Electronic Dry Pipe Valve Accelerators	05-15	TFP1105
Model ACC-1 Dry Pipe Valve Accelerators	02-17	TFP1112

SECTION 12 - AIR MAINTENANCE DEVICES	DATE	SHEET
Model AMD-1 Air Maintenance Devices, Pressure Reducing Type	08-15	TFP1221
Model AMD-2 Air Maintenance Devices, Compressor Control Type	07-15	TFP1231
Model AMD-3 Nitrogen Maintenance Devices, High Pressure (Cylinder) Reducing Type	02-17	TFP1241
 SECTION 13 - DELUGE SYSTEM VALVES AND ACCESSORIES	 DATE	 SHEET
DV-5 Red-E Cabinets, Integrated Deluge Fire Protection Package	05-18	TFP1300
DV-5 RRRPR Valve Limited Space Cabinet.	05-16	TFP1302
DV-5 Red-E Cabinets, Integrated Deluge Fire Protection Package (Middle East)	01-15	TFP1303
DV-5 Deluge Valves, Diaphragm Style, 250 psi, 1-1/2 to 8 Inch	05-18	TFP1305
DV-5 Aluminum Bronze Deluge Valves, Diaphragm Style, 250 psi, 1-1/2 to 8 Inch	05-18	TFP1305A
DV-5 Deluge Systems, Wet Pilot Actuation, 1-1/2 to 8 Inch	07-14	TFP1310
DV-5 Deluge Systems, Dry Pilot Actuation, 1-1/2 to 8 Inch	07-14	TFP1315
DV-5 Deluge Systems, Electric Actuation, 1-1/2 to 8 Inch	10-14	TFP1320
DV-5 Deluge Valves with Remote-Resetting Trim.	12-16	TFP1331
DV-5 Deluge Valves with Remote-Resetting, Pressure-Reducing Trim	06-17	TFP1332
DV-5 Deluge Valves, 1-1/2 to 8 Inch, FM European Conformity Valve Trim	12-16	TFP1335
DV-5 Deluge Valves, 1-1/2 to 8 Inch, VdS/LPCB European Conformity Valve Trim	12-16	TFP1338
Series MJC, Multiple Jet Controls, DN20-DN50, 12 bar.	10-14	TFP1346
Model DP-1 Dry Pilot Actuator	12-16	TFP1380
Model MC-1 Manual Control Station	04-14	TFP1382
Model ASV-1 Automatic Shut-Off Valve for Use with DV-5 Deluge Valves	05-15	TFP1384
Model FSV-1 Fail-Safe Valve for Use with DV-5 Deluge Valves	12-14	TFP1386
Model FTR-1 Fixed Temperature Release.	10-14	TFP1388
 SECTION 14 - PREACTION SYSTEMS	 DATE	 SHEET
DV-5 Red-E Cabinets Integrated Preaction Fire Protection Package.	05-18	TFP1400
—SINGLE INTERLOCK—		
DV-5 Single Interlock System, Wet Pilot Actuation, 1-1/2 to 8 Inch	07-14	TFP1410
DV-5 Single Interlock System, Dry Pilot Actuation, 1-1/2 to 8 Inch.	07-14	TFP1415
DV-5 Single Interlock System, Electric Actuation, 1-1/2 to 8 Inch	10-14	TFP1420
—DOUBLE INTERLOCK, ELECTRIC/PNEUMATIC—		
DV-5 Double Interlock System, Electric/Pneumatic Actuation, 1-1/2 to 8 Inch	07-14	TFP1460
—DOUBLE INTERLOCK, ELECTRIC/ELECTRIC—		
DV-5 Double Interlock System, Electric/Electric Actuation, 1-1/2 to 8 Inch	12-14	TFP1465
—PREACTION EUROPEAN CONFORMITY—		
DV-5 Preaction Type A Valve, 1-1/2 to 8 Inch (European Conformity).	12-16	TFP1484
DPV-1 Preaction Type B Valve, DN100 to DN150 (EN12845 Compliance)	01-15	TFP1486

TABLE OF CONTENTS

SECTION 15 - GENERAL PURPOSE VALVES	DATE	SHEET
—SHUT-OFF VALVES—		
Model BFV-300 and BFV-300C Grooved Butterfly Valve	01-18	TFP1511
Model BFV-300 Wafer Butterfly Valve	01-18	TFP1516
Model BFV-250 Wafer Butterfly Valve	04-17	TFP1517
Resilient-Seated Gate Valves Outside Screw and Yoke, 2 to 12 Inch	02-17	TFP1540
Resilient-Seated Gate Valves with Vertical or Cross Wall Post Indicator, 4 to 12 Inch	02-18	TFP1545
—CHECK VALVES—		
Model CV-1F Check Valves, 2 to 12 Inch	02-16	TFP1550
Model CV-300B Grooved End Swing Check Valve, 4 Inch	02-17	TFP1552
Maintenance Kit for Model CV-1F Check Valves	12-16	TFP1555
—SPECIAL VALVES—		
Model PRV-1 Pressure Reducing Valves, 2 to 8 Inch	01-18	TFP1580
Model RV-1 Pressure Relief Valves, 2 to 8 Inch	12-16	TFP1585
SECTION 16 - SPECIALTY ITEM	DATE	SHEET
Model FL-1 Fusible Links, 50 lb.	07-17	TFP1610
Identification Signs	12-16	TFP1615
Model G16AC812 Automatic Supervisory Air Supply	12-15	TFP1620
Model AD-1 Automatic Drain Valve	05-17	TFP1630
Model AD-2 Automatic Drain (Ball Drip) Valve	12-16	TFP1632
Model F1321 Sight Flow Connections, 1 and 2 Inch	05-17	TFP1635
Model A Pipe Line Strainers	04-17	TFP1640
Model B-1 Pipe Line Strainers	12-16	TFP1642
Model C Pipe Line Strainers	12-16	TFP1644
Model F350 Sectional Test and Drain	01-17	TFP1650
SECTION 17 - STEEL PIPE AND THREADED FITTINGS	DATE	SHEET
Ductile Iron Threaded Fittings	07-16	TFP1710
GRINNELL Figure 40-5 Straps	05-15	TFP1720

SECTION 18 - FIRE GROOVED PRODUCTS	DATE	SHEET
GRINNELL G-FIRE Grooved Fittings	05-17	TFP1815
GRINNELL G-FIRE Figure 705 Grooved Flexible Couplings.	11-14	TFP1820
GRINNELL G-FIRE Figure 716 Grooved Flexible Reducing Couplings.	02-17	TFP1830
GRINNELL G-FIRE Figure 707 Grooved Flexible Couplings.	02-17	TFP1840
GRINNELL G-FIRE Figure 577 Grooved Rigid Couplings (Americas/APAC)	11-14	TFP1854
GRINNELL G-FIRE Figure Grooved 579 Rigid Couplings.	03-18	TFP1856
GRINNELL G-FIRE Figure 730 Mechanical Tees	05-16	TFP1860
GRINNELL G-FIRE Figure 522 Sprinkler Outlet	03-13	TFP1865
GRINNELL G-FIRE Figure 71 Flange Adapters.	09-14	TFP1880
GRINNELL G-FIRE Fire Protection Gaskets	02-18	TFP1895
GRINNELL G-FIRE Groove Specifications	02-15	TFP1898
GRINNELL Fire Protection Products Installation Handbook.	10-16	IH-1000FP
 SECTION 19 - CPVC PIPE AND FITTINGS	 DATE	 SHEET
CPVC Installation Handbook.	04-18	IH-1900
CPVC Submittal Sheet	04-16	TFP1915
Model SHB1 CPVC Head Set Hanger.	06-14	TFP1920
Rapid Seal Adapter Sprinkler Installation and Gasket Replacement	12-17	TFP1925
SDS for TFP-500 CPVC Solvent Cement	05-18	TFP1990
SDS for TFP-600 CPVC Solvent Cement	02-17	TFP1994
 SECTION 20 - FOAM SPRINKLER EQUIPMENT	 DATE	 SHEET
Foam Definitions for Use with ANSUL Foam Concentrates	05-17	TFP2000
Approved Discharge Devices for use with ANSUL Foam Concentrates.	01-17	TFP2005
 SECTION 21 - ELECTRICAL	 DATE	 SHEET
Solenoid Valves 1/2 Inch.	01-03	TFP2180
 SECTION 22 - AQUAMIST	 DATE	 SHEET
Type ULF AM30, AQUAMIST Nozzle, Automatic (Closed)	02-16	TFP2201
Type AM31 AQUAMIST Nozzle, Non-Automatic (Open)	05-14	TFP2202
Type AM4 AQUAMIST Nozzle, Non-Automatic (Open)	10-13	TFP2204
Type AM33 AQUAMIST Nozzle, Horizontal Sidewall, Automatic (Closed)	01-18	TFP2205
Type AM10 and AM10B AQUAMIST Nozzles, Non-Automatic (Open)	11-15	TFP2210
Type ULF AM27, AQUAMIST Nozzle, Automatic (Closed).	05-17	TFP2227
Type ULF AM28, AQUAMIST Nozzle, Automatic (Closed)	05-16	TFP2228
Type ULF AM29, AQUAMIST Nozzle, Automatic (Closed)	05-15	TFP2229
Type IFP AQUAMIST Recessed Nozzle Fittings Industrial Fryer Protection.	02-17	TFP2242
Type IFP AQUAMIST Zone Control Valve Cabinet Industrial Fryer Protection	10-15	TFP2250
AQUAMIST Mist Control Center (MCC) Pump Skid Unit.	02-18	TFP2270
AQUAMIST Red-E Mist Supply Pump Skid	02-16	TFP2272
Model F885 AQUAMIST Nozzle Dust Cap Installation Instructions	06-16	TFP2299

TABLE OF CONTENTS

Page 8 of 8